

## Texas Water Development Board Groundwater Database Reports



## Infrequent Constituent Report

County: Aransas Flag **State Well Number** Date Sample# **Storet Code** Description Value + or -7956203 01045 630. 3 / 28 / 1967 1 IRON, TOTAL (UG/L AS FE) 7956302 3 / 28 / 1967 1 01045 IRON, TOTAL (UG/L AS FE) 200. 7963402 4 / 16 / 1992 1 00010 TEMPERATURE, WATER (CELSIUS) 25.8 4/16/1992 1 01000 10. ARSENIC, DISSOLVED (UG/L AS AS) < 4 / 16 / 1992 1 01005 BARIUM, DISSOLVED (UG/L AS BA) 1150. 4/16/1992 01025 10. 1 CADMIUM, DISSOLVED (UG/L AS CD) < 4/16/1992 1 01030 CHROMIUM, DISSOLVED (UG/L AS CR) 20. < 4 / 16 / 1992 1 01040 20. COPPER, DISSOLVED (UG/L AS CU) < 4/16/1992 1 01046 IRON, DISSOLVED (UG/L AS FE) 20. < 4/16/1992 1 01049 LEAD, DISSOLVED (UG/L AS PB) < 50. 4/16/1992 1 01056 MANGANESE, DISSOLVED (UG/L AS MN) 20. < 01075 4/16/1992 1 10. SILVER, DISSOLVED (UG/L AS AG) < 4/16/1992 1 01090 ZINC, DISSOLVED (UG/L AS ZN) 20. 4/16/1992 1 01145 SELENIUM, DISSOLVED (UG/L AS SE) 2. 4/16/1992 1 01503 ALPHA, DISSOLVED (PC/L) 10 4/16/1992 03503 BETA, DISSOLVED (PC/L) 10 4/16/1992 39086 ALKALINITY, FIELD, DISSOLVED AS CACO3 300 4/16/1992 71870 BROMIDE, DISSOLVED, (MG/L AS BR) 5.32 4/16/1992 71890 .2 MERCURY, DISSOLVED (UG/L AS HG) 7964404 2 / 14 / 1967 00900 272. HARDNESS, TOTAL (MG/L AS CACO3)

7964405

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 7 / 190	67 1	01045	IRON, TOTAL (UG/L AS FE)		10.	
7964501							
	3 / 7 / 196	67 1	01055	MANGANESE, TOTAL (UG/L AS MN)		400.	
	3 / 7 / 196	67 1	01105	ALUMINUM, TOTAL (UG/L AS AL)		100.	
7964604							
	4/16/199	92 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.11	
	4/16/199	92 1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.11	
	4/16/199	92 1	01046	IRON, DISSOLVED (UG/L AS FE)		430	
7964801							
	7 / 17 / 194	45 1	01045	IRON, TOTAL (UG/L AS FE)		400.	
7964803							
	9 / 23 / 199	97 1	00010	TEMPERATURE, WATER (CELSIUS)		28.2	
	7 / 17 / 194	45 1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	9 / 23 / 199	97 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		293.0	
7964821							
	8 / 22 / 196	64 1	01045	IRON, TOTAL (UG/L AS FE)		100.	
7964828							
	4 / 17 / 199	97 1	00010	TEMPERATURE, WATER (CELSIUS)		24.7	
	3 / 13 / 200	01 1	00010	TEMPERATURE, WATER (CELSIUS)		24.3	
	4/17/199	97 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-197.1	
	4/16/199	92 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.55	
	4/17/199	97 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.39	
	4/16/199	92 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4/16/199	92 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4/16/199	92 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.7	
	4/17/199	97 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.5	
	4/17/199	97 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	3 / 13 / 200	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4/16/199	92 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	or -
	4 / 17 / 199	7 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3.3	
	3 / 13 / 200	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		15.3	
	4/16/199	2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		213.	
	4 / 17 / 199	7 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		175	
	3 / 13 / 200	1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		300	
	4 / 17 / 199	7 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 13 / 200	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/17/199	7 1	01020	BORON, DISSOLVED (UG/L AS B)		704	
	3 / 13 / 200	1 1	01020	BORON, DISSOLVED (UG/L AS B)		724	
	4/16/199	2 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	3 / 13 / 200	1 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4/16/199	2 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	3 / 13 / 200	1 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 17 / 199	7 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 13 / 200	1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 16 / 199	2 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	4 / 17 / 199	7 1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.1	
	3 / 13 / 200	1 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	4 / 16 / 199	2 1	01046	IRON, DISSOLVED (UG/L AS FE)		96.	
	4 / 17 / 199	7 1	01046	IRON, DISSOLVED (UG/L AS FE)		399	
	3 / 13 / 200	1 1	01046	IRON, DISSOLVED (UG/L AS FE)		146	
	4/16/199	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	4 / 17 / 199	7 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 13 / 200	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4/16/199	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		42.	
	4 / 17 / 199	7 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		43.1	
	3 / 13 / 200	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		46.0	
	4 / 17 / 199	7 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 13 / 200	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 17 / 199	97 1	01060	MOLYBDENUM, DISSOLVED, UG/L		3.3	
	3 / 13 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.55	
	4 / 17 / 199	97 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.9	
	3 / 13 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4/16/199	92 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	4 / 17 / 199	97 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		255	
	3 / 13 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		283	
	4 / 17 / 199	97 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 13 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4/16/199	92 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	4 / 17 / 199	97 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		3.2	
	3 / 13 / 200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4 / 17 / 199	97 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 13 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 17 / 199	97 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		1.5	
	3 / 13 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 17 / 199	97 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		14	
	3 / 13 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		20.0	
	4/16/199	92 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	4 / 17 / 199	97 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	3 / 13 / 200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/16/199	92 1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	4/16/199	92 1	03503	BETA, DISSOLVED (PC/L)		6.1	3.1
	4/16/199	92 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		228	
	4 / 17 / 199	97 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		222.0	
	3 / 13 / 200	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		189	
	4 / 17 / 199	97 1	71865	IODIDE (MG/L AS I)	<	0.15	
	4/16/199	92 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.10	
	4 / 17 / 199	97 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		5.7	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 13 / 200	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.784	
	4/16/199	2 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
7964829							
	4 / 17 / 199	7 1	00010	TEMPERATURE, WATER (CELSIUS)		24.1	
	4 / 17 / 199	7 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		025.5	
	4 / 17 / 199	7 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.7	
	4 / 17 / 199	7 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		202.0	
8041801							
	2/9/196	2 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		438	
8042704							
	2 / 8 / 196	2 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		422	
8042805							
	4 / 17 / 199	7 1	00010	TEMPERATURE, WATER (CELSIUS)		22.8	
	4 / 17 / 199	7 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-065.4	
	4 / 17 / 199	7 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.1	
	4 / 17 / 199	7 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.5	
	4 / 17 / 199	7 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	4/17/199	7 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2	
	4/17/199	7 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		143	
	4 / 17 / 199	7 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4/17/199	7 1	01020	BORON, DISSOLVED (UG/L AS B)		285	
	4 / 17 / 199	7 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 17 / 199	7 1	01040	COPPER, DISSOLVED (UG/L AS CU)		8.2	
	4 / 17 / 199	7 1	01046	IRON, DISSOLVED (UG/L AS FE)		116.7	
	4 / 17 / 199	7 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 17 / 199	7 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		131	
	4 / 17 / 199	7 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 17 / 199	7 1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.4	
	4 / 17 / 199	7 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		5.5	

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 17 / 1997	7 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		455	
	4 / 17 / 1997	7 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 17 / 1997	7 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		138	
	4 / 17 / 1997	7 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 17 / 1997	7 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		3.2	
	4 / 17 / 1997	7 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		8.4	
	4 / 17 / 1997	7 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	4 / 17 / 1997	7 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		200.0	
	4 / 17 / 1997	7 1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 17 / 1997	7 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.05	
8049702							
	4 / 17 / 1992	2 1	00010	TEMPERATURE, WATER (CELSIUS)		23.4	
	4/16/1997	7 1	00010	TEMPERATURE, WATER (CELSIUS)		23.9	
	3 / 13 / 2001	l 1	00010	TEMPERATURE, WATER (CELSIUS)		23.8	
	4 / 5 /2005	5 1	00010	TEMPERATURE, WATER (CELSIUS)		23.5	
	4 / 17 / 1992	2 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-184.5	
	4/16/1997	7 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-206.2	
	4 / 17 / 1992	2 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.30	
	4/16/1997	7 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.31	
	4 / 17 / 1992	2 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4 / 17 / 1992	2 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4 / 17 / 1992	2 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.5	
	4/16/1997	7 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.5	
	4/16/1997	7 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	3 / 13 / 2001	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4 / 5 /2005	5 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	4 / 17 / 1992	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		22.	
	4/16/1997	7 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		18.1	
	3 / 13 / 2001	l 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		21.6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 5 /200	05 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		24.1	
	4 / 17 / 199	02 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		181.	
	4/16/199	7 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		149	
	3 / 13 / 200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		187	
	4 / 5 /200	)5 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		198	
	4/16/199	97 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 13 / 200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 5 /200	)5 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	4/16/199	97 1	01020	BORON, DISSOLVED (UG/L AS B)		141	
	3 / 13 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)		149	
	4 / 5 /200	)5 1	01020	BORON, DISSOLVED (UG/L AS B)		199	
	4 / 17 / 199	02 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	3 / 13 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 5 /200	)5 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	4 / 17 / 199	92 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	3 / 13 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 5 /200	)5 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.76	
	4/16/199	97 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 13 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 5 /200	05 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	4 / 17 / 199	92 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	4/16/199	97 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.3	
	3 / 13 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	4 / 5 /200	05 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	8 / 15 / 197	78 1	01045	IRON, TOTAL (UG/L AS FE)		900.	
	4 / 17 / 199	92 1	01046	IRON, DISSOLVED (UG/L AS FE)		190.	
	4/16/199	97 1	01046	IRON, DISSOLVED (UG/L AS FE)		270	
	3 / 13 / 200	)1 1	01046	IRON, DISSOLVED (UG/L AS FE)		201	
	4 / 5 /200	)5 1	01046	IRON, DISSOLVED (UG/L AS FE)		361	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 17 / 199	2 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	4/16/199	7 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 13 / 200	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 5 /200	5 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	8 / 15 / 197	8 1	01055	MANGANESE, TOTAL (UG/L AS MN)		200.	
	4 / 17 / 199	2 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		48.	
	4/16/199	7 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		49.3	
	3 / 13 / 200	1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		53.4	
	4 / 5 /200	5 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		50.5	
	4/16/199	7 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 13 / 200	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 5 /200	5 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	4/16/199	7 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.6	
	3 / 13 / 200	1 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.87	
	4 / 5 /200	5 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.74	
	4/16/199	7 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.6	
	3 / 13 / 200	1 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 17 / 199	2 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	4/16/199	7 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		206	
	3 / 13 / 200	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		240	
	4 / 5 /200	5 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		268	
	4/16/199	7 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 13 / 200	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 5 /200	5 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	4 / 17 / 199	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	4/16/199	7 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.9	
	3 / 13 / 200	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4 / 5 /200	5 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	4/16/199	7 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 13 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 5 / 2005	5 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	4/16/1997	7 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1.5	
	3 / 13 / 2001	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 5 /2005	5 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.30	
	4 / 16 / 1997	7 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		8.4	
	3 / 13 / 2001	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		15.3	
	4 / 5 /2005	5 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		13.4	
	4 / 17 / 1992	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	4/16/1997	7 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	3 / 13 / 2001	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 5 / 2005	5 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	4 / 17 / 1992	2 1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	4 / 17 / 1992	2 1	03503	BETA, DISSOLVED (PC/L)		7.1	3.1
	4 / 5 / 2005	5 1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		0.4	2.5
	4 / 5 / 2005	5 1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		7.0	1.9
	4 / 17 / 1992	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		188	
	4 / 16 / 1997	7 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		178.0	
	3 / 13 / 2001	l 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		180	
	4 / 5 / 2005	5 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		172	
	4 / 16 / 1997	7 1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 17 / 1992	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.25	
	4 / 16 / 1997	7 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		2.96	
	3 / 13 / 2001	l 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.611	
	4 / 5 /2005	5 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.700	
	4 / 17 / 1992	2 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
8049707							
	3 / 1 /1951	1 1	01045	IRON, TOTAL (UG/L AS FE)		600.	
8049711							

ate Well Number	Date	Sample#	Storet Code	Description	Flag Va	lue + or
	5 / 9 / 197	7 1	00405	CARBON DIOXIDE (MG/L AS CO2)		5
	6/10/197	7 1	00405	CARBON DIOXIDE (MG/L AS CO2)		16
	5 / 9 / 197	7 1	00660	PHOSPHATE, ORTHO (MG/L AS PO4)		0.13
	5 / 11 / 197	7 1	00660	PHOSPHATE, ORTHO (MG/L AS PO4)		0.08
	6/10/197	7 1	00660	PHOSPHATE, ORTHO (MG/L AS PO4)		0.5
	5 / 9 / 197	7 1	00746	SULFIDE, DISSOLVED (MG/L AS S)		0.0
	5 / 11 / 197	7 1	00746	SULFIDE, DISSOLVED (MG/L AS S)		0.0
	6/10/197	7 1	00956	SILICA, TOTAL (MG/L AS SIO2)		21
	5 / 9 / 197	7 1	01045	IRON, TOTAL (UG/L AS FE)		1.3
	5 / 11 / 197	7 1	01045	IRON, TOTAL (UG/L AS FE)		0.78
	6/10/197	7 1	01045	IRON, TOTAL (UG/L AS FE)		0.14
	5 / 9 / 197	7 1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.12
	5 / 11 / 197	7 1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.11
	6/10/197	7 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	0.02
	5 / 9 / 197	7 1	01105	ALUMINUM, TOTAL (UG/L AS AL)		0.38
	5 / 11 / 197	7 1	01105	ALUMINUM, TOTAL (UG/L AS AL)		3.9
	6/10/197	7 1	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	0.1
	6/10/197	7 1	32017	SODIUM CHLORIDE (NACL), MG/L		999
8049712						
	10 / 20 / 197	7 1	00405	CARBON DIOXIDE (MG/L AS CO2)		15
	10 / 20 / 197	7 1	00660	PHOSPHATE, ORTHO (MG/L AS PO4)		0.15
	10 / 20 / 197	7 1	00746	SULFIDE, DISSOLVED (MG/L AS S)		0.0
	10 / 20 / 197	7 1	01045	IRON, TOTAL (UG/L AS FE)		0.28
	10 / 20 / 197	7 1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.10
	10 / 20 / 197	7 1	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	0.2
8049801						
	3 / 8 / 196	7 1	01045	IRON, TOTAL (UG/L AS FE)	<	10.
8201101						
	5 / 30 / 196	57 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		281

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	5 / 30 / 196	7 1	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)		42.
8201402						
	5 / 30 / 196	7 1	01045	IRON, TOTAL (UG/L AS FE)		40.
8201405						
	5 / 30 / 196	7 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		820
	5 / 30 / 196	7 1	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)		436.
8201406						
	3 / 30 / 195	4 1	01045	IRON, TOTAL (UG/L AS FE)		1100.
8307301						
	4/16/199	2 1	00010	TEMPERATURE, WATER (CELSIUS)		25.3
	4 / 17 / 199	7 1	00010	TEMPERATURE, WATER (CELSIUS)		21.6
	3 / 13 / 200	1 1	00010	TEMPERATURE, WATER (CELSIUS)		24.0
	4/16/199	2 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.34
	4 / 17 / 199	7 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.39
	4/16/199	2 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01
	4/16/199	2 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01
	4/16/199	2 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.5
	4 / 17 / 199	7 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.5
	4 / 17 / 199	7 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04
	3 / 13 / 200	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	4/16/199	2 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.
	4 / 17 / 199	7 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3.7
	3 / 13 / 200	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		6.31
	4/16/199	2 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		257.
	4 / 17 / 199	7 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		227
	3 / 13 / 200	1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		231
	4 / 17 / 199	7 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	3 / 13 / 200	1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	4 / 17 / 199	7 1	01020	BORON, DISSOLVED (UG/L AS B)		84

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	3 / 13 / 200	)1 1	01020	BORON, DISSOLVED (UG/L AS B)		66.0
	4/16/199	92 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.
	3 / 13 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	4/16/199	92 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.
	3 / 13 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	4 / 17 / 199	97 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	3 / 13 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	4/16/199	92 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.
	4/17/199	97 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.3
	3 / 13 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2
	4/16/199	92 1	01046	IRON, DISSOLVED (UG/L AS FE)		597.
	4 / 17 / 199	97 1	01046	IRON, DISSOLVED (UG/L AS FE)		1986
	3 / 13 / 200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		394
	4/16/199	92 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.
	4 / 17 / 199	97 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	3 / 13 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	4/16/199	92 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		131.
	4 / 17 / 199	97 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		127
	3 / 13 / 200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		128
	4 / 17 / 199	97 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	3 / 13 / 200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	4 / 17 / 199	97 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	3 / 13 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	4 / 17 / 199	97 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.6
	3 / 13 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	4/16/199	92 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.
	4 / 17 / 199	97 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		240
	3 / 13 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		238
	4 / 17 / 199	97 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 13 / 200	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4/16/199	2 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	4/17/199	7 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		125	
	3 / 13 / 200	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.23	
	4 / 17 / 199	7 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 13 / 200	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 17 / 199	7 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1.5	
	3 / 13 / 200	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 17 / 199	7 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		7	
	3 / 13 / 200	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		11.0	
	4/16/199	2 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	4 / 17 / 199	7 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	3 / 13 / 200	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4/16/199	2 1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	4/16/199	2 1	03503	BETA, DISSOLVED (PC/L)		4.3	2.7
	4/16/199	2 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		204	
	4 / 17 / 199	7 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		192.0	
	3 / 13 / 200	1 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		186	
	4 / 17 / 199	7 1	71865	IODIDE (MG/L AS I)	<	0.15	
	4/16/199	2 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.1	
	4 / 17 / 199	7 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.81	
	3 / 13 / 200	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0934	
	4/16/199	2 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
8307617							
	2/16/196	7 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		181	
	2/16/196	7 1	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)		55	
	2/15/196	7 1	01045	IRON, TOTAL (UG/L AS FE)		1500.	
	2/16/196	7 1	01045	IRON, TOTAL (UG/L AS FE)		1300.	
8307618							

State Well Number	Date Sample#	Storet Code	Description	Flag	Value + or -
	2/15/1967 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		244
	2/15/1967 1	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)		14.
8308602					
	5 / 30 / 1967 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		840
	5 / 30 / 1967 1	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)		526.